

### SMT. KAMALABEN PATEL INSTITUTE OF NURSING EDUCATION



AT - KUMBHARI, TAL. SOUTH SOLAPUR, DIST - SOLAPUR
Phone No. 0217 - 2280891 - 97 Fax No. 0217-2280791
E-MAIL: skpione2011@gmail.com website: www.kamalanursingcollege.org

Ref. No. : SKPIONE/SUR/

/20

Annexure-II

#### MAHARASHTRA UNIVERSITY OF HEALTH SCINCES, NASHIK

#### INFRASTRUCTURE DETAILS

SR. NO	Particulars to be verified	Details on College Website	Adequate/ Inadequate
	College		
I a	Land details: Total land, owner, unitary or not, NA of all land, 7/12 extracts of all land (Applicable only to Private Colleges). On College Website. No Land/Construction documents shall be submitted to the University. Only deficit information to be pointed out to the University).	Yes	Adequate
2	Total constructed area of college building	3 .	
	(I)Administrative Section: Total Area 29234.sq ft (which includes) Principal Room, Reception Cue Visitors lounge. Meeting hall, Account section, Record and Central store etc.	Yes	Adequate
-	(II) Lecture Halls:  a) Total No of lecture Halls 4  b) It enabled Audio/Video teaching Aids 1  c) Total area for lecture Halls 3748	Yes	Adequate
	(III) Seminar or Conference Or Examination Hall:  a) Total Area 8449.67Sq ft b) Total Seating Capacity 300 c) Audio/Video System and Other Facilities	Yes	Adequate
	(IV) Central Library:  a) Total Area 2448sq.ft Total No. of Books 1500 Distribution of book Capacity of reading Hall: -60 For Students 50 for Teachers: 12 No. of Scientific Journals3 No. of News Papers 02 Photo Copier Machine Yes Drinking water & washrooms Yes b) Digital Library: No. of Computers 25 Internet Facility-Yes	Yes	Adequate
0	(V) Teaching Departments:		



# SMT. KAMALABEN PATEL INSTITUTE OF NURSING EDUCATION



AT - KUMBHARI, TAL. SOUTH SOLAPUR, DIST - SOLAPUR
Phone No. 0217 - 2280891 - 97 Fax No. 0217-2280791
E-MAIL: skpione2011@gmail.com website: www.kamalanursingcollege.org

	(V) Teaching Departments:		
	There shall be Five Teaching Departments as per MSR No. of department 5Departmental Area, No. of Books/Charts/Models/ Spacimens (dry and wet) /Museum in each Department information to be uploaded on college website.	Yes	Adequate
< 12	(VI) Laboratories: Laboratories: As per MSR (8347.Sq.ft.) Nursing Foundation and Medical Surgical Nursing Lab (1500 Sq.ft.), CHN (1048 Sq.ft.), Nutrition (1032.00Sq.ft.), OBG and Paediatric (900Sq.ft.), Yes Pre-Clinical Science (800Sq.ft.), Advanced Nursing Skill Lab (900Sq.ft.), Computer Lab (1500Sq.ft.), with 10 computer as per Intake capacity, AV Aids (677Sq.ft.), well Equipped Lab must have Mannequins, Articles & Beds as per MSR & INC Norms	Yes	Adequate
	(VII) Auditorium:- (As per MSR) Auditorium should be spacious enough to accommodate at least double the sanctioned/actual strength of students, so that it can be utilized for hosting functions of the college, educational conferences/workshops, examinations etc. It should have proper stage with green room facilities. It should be well — ventilated and have proper lighting system. There should be arrangements for the use of all kinds of basic and advanced audio-visual aids.  OR  Multipurpose Hall:- College of Nursing should have multipurpose hall, if there is no auditorium.	Yes	Adequate

M. M. Patel Public Charitable Trust's



#### SMT. KAMALABEN PATEL INSTITUTE OF NURSING EDUCATION



AT - KUMBHARI, TAL. SOUTH SOLAPUR, DIST - SOLAPUR Phone No. 0217 - 2280891 - 97 Fax No. 0217-2280791

E-MAIL: skpione2011@gmail.com website: www.kamalanursingcollege.org

Ref. No. : SKPIONE/SUR/ / 20

	(VIII) Canteen and Kitchen Facility: [Note: Verify Canteen Facility & Hygiene is monitored as per MUHS Circular No.18/2019 dated 19/03/2019.]	Yes	Adequate
12 A	(IX) Common Rooms: Separate common rooms for boys and girls with adequate space and sitting arrangement shall be available.	Yes	Ad <mark>equate</mark>
3	University Examination Infrastructure: Strong Room for examination a) (Area- 300 sq.ft, b) Shelf, c) Steel cupboard — 1, d) CCTV, Photocopier Machine, Examination hall with benches, Parking Facility for University vehicle, Guest house facility	Yes	Adequate
4	Other facilities: Hospital Waste Management, Medical Education Unit, Intercom Network, Playground, P.T Teacher or Instructor, Cafeteria, Facility for indoor games, Gymnasium / Gymkhana Facility. Is there any LMS (learning management system software) available	Yes	Adequate
5	Hostel facility: Boys (UG), Girls (UG), Interns, Residents, Warden/ Rector, Hygiene, Vending Machine etc.	Yes	Adequate
	Hospital		
6	Hospital Details	Details on College Website	Adequate/ Inadequate
	Name of the Hospital: Ashwini Rural Medical College, Hospital and Research centre, Kumbhari solapur	Yes	Adequate
	Address:Gat No 261,262 At Kumbhari, Tal. South Solapur	Yes	Adequate
9	Telephone No. :976799922/955299222	Yes	Adequate
	Bed Strength: 660	Yes	Adequate
	Distance of Hospital from the College to which it is attached (in kms)	0	Adequate
	Number of beds registered as per BNH Act 660	Yes	Adequate



# SMT. KAMALABEN PATEL INSTITUTE OF NURSING EDUCATION



AT - KUMBHARI, TAL. SOUTH SOLAPUR, DIST - SOLAPUR Phone No. 0217 - 2280891 - 97 Fax No. 0217-2280791

E-MAIL: skpione2011@gmail.com website: www.kamalanursingcollege.org

Ref. No. : SKPIONE/SUR/

/20

I. Total constructed area of Hospital Building as per MSR (3,26,900 Sq.ft.) Whether the Hospital is Owned by the College / Management or Rented? = Own II. Hospital Administration Block as per MSR (Superintendent room, Deputy Superintendent room, Medical officers' room, Matron room, Assistant Matron room, Reception and Registration, etc.)	Yes	Adequate
III. Out-Patient Departments (OPD) as per MSR Total Area of OPD Complex 23790Sq.ft. No. of OPD's 21 Facilities shall be as per MSR & all details shall be on college website	Yes	Adequate
IV. In Patient Departments (IPD) as per MSR  Total Area of IPD Complex 1,48,471Sq.ft.  No. of IPD Departments 21 Bed Distribution 660 Facilities shall be as per MSR & all details shall be on college website.	. Yes	Adequate
V. Operation Theatres Block as per MSR  Total Area of OT Block 5392sq.ft. No. of OTs available 10  Facilities shall be as per MSR & all details shall be on college website.	Yes	A <mark>dequat</mark> e
VI. Casualty Facilities State Government Permission Letter	Yes	Adequate
VII. Central Clinical Laboratory: Well-equipped with separate sections for Pathology, Biochemistry and Micro-biology. Attached toilet shall be there for collection of urine samples. Other diagnostic tools for ECG or TMT etc. shall be provided.	Yes	Adequate
VIII. Radiology or Sonography Section: Radiologist chamber, X-ray room,  Dark room, film drying room, store room, patients waiting and dressing room, reception or registration or report room.	Yes	Adequate
IX. Labour Room:	Yes	Adequate

Dean/ Principan & Signatur
Smt/KamalaberFlaseInlattitute
Of Nursing Education, Kumbhari,
Solapur,